

Yeelight Product Brochure







Yeelight Smart LED Bulb W4 Lite (Color)

Always Go for the Smartest









Music Sync





806lm





16 Million Colors

Tunable

Dimmable





















Features

- 16 Million Colors for Customized Lighting Scenes
- Apple HomeKit & Major AloT Platforms Compatible
- Lightweight Design & Efficient Heat Dissipation
- Program Timers and Routines Support
- Dimmable and 2700K-6500K Adjustable Color Temperature
- Game Sync with Razer Chroma™ RGB
- Shine with Rhyme with Music Sync
- Light up Entire Room with Group Control
- Explore More with Yeelight App

Specifications

 Model:
 YLQPD-0011

 Rated power:
 9W

 Lamp Fitting:
 E27


 Luminous Flux:
 806lm

 Color temperature:
 2700-6500K

 Connectivity:
 BLE+Wi-Fi

 Working Temperature:
 -10°C-40°C

Dimensions: 60mm*60mm*110mm

























Features

Dimmable to Create a Homely Atmosphere

Apple HomeKit & Major AloT Platforms Compatible

Lightweight Design & Efficient Heat Dissipation

Program Timers and Routines Support

Light up Entire Room with Group Control

Explore More with Yeelight App


Specifications

Working Temperature:

Model: YLQPD-0012 9W Rated power: Lamp Fitting: E27 Luminous Flux: 806lm Color temperature: 2700-6500K Connectivity: BLE+Wi-Fi

Dimensions: 60mm*60mm*110mm

-10°C-40°C





16 Million Colors

Tunable

Dimmable

















Features

🕽 16 Million Colors

O Dimmable and Adjustable Color Temperature

Major AloT Platforms Compatible

Game Sync with Razer Chroma™ RGB
 Shine with Rhyme with Music Sync

O OW Libra Law Chardley Barres

0.3W Ultra-Low Standby Power

Light up Entire Room with Group Control

Explore More with Yeelight App

Specifications

Model No.: Luminous Flux: Color Temperature:

Rated Power: 8W


Rated Input:

100-240V-50/60Hz 0.07A

o.: YLDP005 Flux: 900 lm

1700K-6500K

ed rower: 6W





Dimmable



















Features

- Dimmable to Create a Homely Atmosphere
- Major AloT Platforms Compatible
- 0.3W Ultra-Low Standby Power
- ✓ Light up Entire Room with Group & Remote Control
- Explore More with Yeelight App

Specifications


 Model No.:
 YLDP007

 Luminous Flux:
 900 lm

 Color Temperature:
 2700K

 Rated Power:
 8W

Rated Input: 100-240 V ~ 50/60 Hz 0.07 A







Dimmable















Features

16 Million Colors

Oimmable and Adjustable Color Temperature

Major AloT Platforms Compatible

Game Sync with Razer Chroma™ RGB

Shine with Rhyme with Music Sync

0.4W Ultra-Low Standby Power

Light up Entire Room with Group Control

Explore More with Yeelight App

Specifications


 Model No.:
 YLDP004-A

 Luminous Flux:
 350 lm

 Color Temperature:
 2700K-6500K

 Rated Power:
 4.5W

Rated Input: 220-240 V ~ 50/60 Hz 50mA





Dimmable





















Features

- Set the Tone of Your Home with Dimmable Light
- Major AloT Platforms Compatible
- 0.3W Ultra-Low Standby Power
- ✓ Light up Entire Room with Group & Remote Control
- Explore More with Yeelight App

Specifications


 Model No.:
 YLDP004

 Luminous Flux:
 350 lm

 Color Temperature:
 2700K

 Rated Power:
 4.8W

Rated Input: 220-240 V ~ 50/60 Hz 50mA





Tunable

Dimmable



















- Dimmable and Adjustable Color Temperature
- Remote Control with BLE Mesh Technology
- ✓ Stable Group Control and Quick Response
- Voice Control with Major AloT Platforms Compatible
- Simple Operation
 - With the latest BLE Gateway included in the Kit

Specifications

Product Name : Yeelight Smart Downlight M2
Product No : YLTS02YL

 Luminous Flux:
 350lm

 Color Temperature:
 2700K-6500K

 Wattage:
 5W(12X1W/LED Module)

Product Name: Yeelight Mesh Spotlight M2

Product No : YLTS04YL
Luminous Flux: 350lm

Color Temperature: 2700K-6500K

Product Name: Yeelight Mesh Downlight M2 Pro Product No : YLTS03YL

 Luminous Flux:
 500lm

 Color Temperature:
 2700K-6500K



Yeelight Smart Build-on Spotlight (Color)











Applicable





Essential ligtting

16 Million Colors Tunable Dimmable









Features

& Comes in single, double and triple heads

Available in black and white

16 million colors spotlight to meet diversified scenarios

350° horizontal and 90° vertical adjustable angles

2700K-6500K dimmable and tunable spotlight

Group control and customized scenes with preset modes

Integration with major AIoT platforms

Support Yeelight Station for color play, game sync, and music

Specifications

Model No.: YLDDL-0083/YLDDL-0083-B/YLDDL-0084/ YLDDL-0083-B/YLDDL-0085/YLDDL-0085-B

Luminous Flux: 350 lm*1 Color Temperature: 2700K-6500K

Lamp Holder: GU10

Maximum wattage of replacement bulb:60W Max


Beam Angle:

Approx.15,000 hours Service Life:

Dimensions:

φ68H=100/H390*W70*D20 for the triple spotlight φ68H=100/H260*W70*D20 for the double spotlight Φ68H=100/H130*W70*D20 for the single spotlight

































Features

16 Million Colors Backlight

Dimmable and Adjustable Color Temperature

Major AloT Platforms Compatible

Come with Yeelight Remote Contorl

Easy Setup with Patented Quick Change Fixture

0.4W Ultra-Low Standby Power

Moonlight Mode with an Ultra-Low Brightness

Bug-proof and Dust-proof

Other Remote Control Enabled by App, Remote & Smart Dimmer

Specifications

Model No.: Light Dimensions: Luminous Flux: Color Temperature: Room Size: Color Rendering Index: Ra≥95

Rated Power:

Rated Input:

YLXD013 Φ455mm x 94mm 3000 lm 2700K-6500K 10-20 m 50 W (81x1W/LED







Yeelight Arwen Ceiling Light 550S



















Features

16 Million Colors Backlight

Dimmable and Adjustable Color Temperature

Major AloT Platforms Compatible

Come with Yeelight Remote Contorl

Easy Setup with Patented Quick Change Fixture

0.4W Ultra-Low Standby Power

Moonlight Mode with an Ultra-Low Brightness

Bug-proof and Dust-proof

Other Remote Control Enabled by App, Remote & Smart Dimmer

Specifications

Model No.: Light Dimensions: Luminous Flux: Color Temperature: Room Size: Color Rendering Index: Ra≥95 Rated Power:

Φ555mm x 94mm 3500 lm 2700K-6500K 15-25 m² 50 W (84x1W/LED

YLXD013-A

Rated Input:





16 Million Colors

Tunable

Dimmable

















Yeelight Arwen Ceiling Light 450C



Features

- 16 Million Colors Backlight
- Dimmable and Adjustable Color Temperature
- Major AloT Platforms Compatible
- Enjoy an Easy Setup with a Quick Change Fixture
- Ultra-Thin Shape with 2 Available Sizes
- Moonlight Mode with an Ultra-Low Brightness
- Ra95 to Accurately Showcase the Colors You Want
- Dust and Insect-Proof

Specifications

Model No.: Light Dimensions: Luminous Flux: Color Temperature: Room Size: Color Rendering Index: Rated Power:

Rated Input:

YLXD013-B Φ495mm x 92mm 4000 lm 2700K-6500K 10-20 m² Ra≥95 50 W (81x1W/LED





16 Million Colors

Tunable

Dimmable

















Yeelight Arwen Ceiling Light 550C



Features

- 16 Million Colors Backlight
- Dimmable and Adjustable Color Temperature
- Major AloT Platforms Compatible
- Enjoy an Easy Setup with a Quick Change Fixture
- Ultra-Thin Shape with 2 Available Sizes
- Moonlight Mode with an Ultra-Low Brightness
- Ra95 to Accurately Showcase the Colors You Want
- Dust and Insect-Proof

Specifications

Model No.: Light Dimensions: Luminous Flux: Color Temperature: Room Size: Color Rendering Index: Rated Power:

Rated Input:

YLXD013-C Ф595mm x 92mm 4500 lm 2700K-6500K 15-25 m² Ra≥95 50 W (84x1W/LED







Yeelight LED Ceiling Light A2001R900





Dimmable



Features

- Dimmable and Tunable
- Major AloT Platforms Compatible
- Dust and Insect-Proof
- Moonlight Mode with an Ultra-Low Brightness
- Light up Every Corner with Larger Beam Angle and Size
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Contorl













Specifications

Model: Dimensions: Luminous Flux: Color temperature:

Room size: Color rendering index:

Rated power:

YLXD033

940 x 640 x 122mm

7000 lm 2700K-6500K

25-35m² Ra 95@4000K

95W





Tunable



Dimmable



works with DILIM

works with Ok Google

Works with SmartThings

Works with Apple HomeKit

Работает с Алисой

WORKS WITH alexa

Yeelight LED Ceiling Light A2001C550



Features

- Dimmable and Tunable
- Major AloT Platforms Compatible
- Dust and Insect-Proof
- Moonlight Mode with an Ultra-Low Brightness
- Light up Every Corner with Larger Beam Angle and Size
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Contorl

Specifications

Model: Dimensions: Luminous Flux: Color temperature: Room size:

Color rendering index:

YLXD031 598 x 103mm 4800lm

2700K-6500K 15-25m²

Ra 95@4000K

Rated power: 50W











Dimmable





works with DILIM











Yeelight LED Ceiling Light A2001C450



Features

- Dimmable and Tunable
- Major AloT Platforms Compatible
- Dust and Insect-Proof
- Moonlight Mode with an Ultra-Low Brightness
- Light up Every Corner with Larger Beam Angle and Size
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Contorl

Specifications

Model: YLXD032 Dimensions: 495 x 93mm Luminous Flux: 4500 lm Color temperature: 2700K-6500K Room size: 10-20m² Color rendering index: Ra 95@4000K

Rated power: 50W





Tunable Dimmable



















Yeelight LED Ceiling Light C2001R900



Features

- Dimmable and Tunable with a Smoother Dimming
- Dust and Insect-Proof
- Finely Finished Metal Frame
- Major AloT Platforms Compatible
- Ultra-Thin Shape with 4 Available Sizes
- Moonlight Mode with an Ultra-Low Brightness
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Contorl

Specifications

Model No.: YLXD039 Dimensions:

Luminous Flux: Color temperature:

Room size: Color rendering index:

Rated power:

905 x 605 x 122mm


6000 lm

2700K-6500K

Ra 95@4000K

95W

25-35m²

























Yeelight LED Ceiling Light C2001S500



Features

- Dimmable and Tunable with a Smoother Dimming
- Dust and Insect-Proof
- Finely Finished Metal Frame
- Major AloT Platforms Compatible
- Ultra-Thin Shape with 4 Available Sizes
- Moonlight Mode with an Ultra-Low Brightness
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Contorl

Specifications


Model No.: YLXD038

Dimensions: 505 x 505 x 103mm

Luminous Flux: 4000 lm Color temperature: 2700K-6500K Room size: 15-25m²

Ra 95@4000K Color rendering index:

Rated power: 50W



















Yeelight LED Ceiling Light C2001C550



Features

- ix Dimmable and Tunable with a Smoother Dimming
- Dust and Insect-Proof
- A Finely Finished Metal Frame
- Major AloT Platforms Compatible
- Ultra-Thin Shape with 4 Available Sizes
- Moonlight Mode with an Ultra-Low Brightness
- Ra95 to Accurately Showcase the Colors You Want
- Ome with Yeelight Remote Contorl

Specifications


Model No.: YLXD037

Dimensions: 555 x 555 x 99mm Luminous Flux: 4000 lm

Color temperature: 2700K-6500K
Room size: 15-25m²

Color rendering index: Ra 95@4000K

Rated power: 50W

























Yeelight LED Ceiling Light C2001C450



Features

- Dimmable and Tunable with a Smoother Dimming
- Dust and Insect-Proof
- Finely Finished Metal Frame
- Major AloT Platforms Compatible
- Ultra-Thin Shape with 4 Available Sizes
- Moonlight Mode with an Ultra-Low Brightness
- Ra95 to Accurately Showcase the Colors You Want
- Come with Yeelight Remote Contorl

Specifications

Model No.: YLXD036 Dimensions: 455 x 455 x 94mm Luminous Flux: 3500 lm

Color temperature: 2700K-6500K Room size: 10-20m²

Ra 95@4000K Color rendering index:

Rated power: 50W





























Features

- Dimmable and adjustable color temperature
- Red Dot Award Winner
- Voice Control with Major AloT Platforms Compatible
- Easy Setup with Patented Quick Change Fixture
- Bug-proof and Dust-proof
- Moonlight Mode with an Ultra-Low Brightness
- Come with Yeelight Remote Contorl
- Other Remote Control Enabled by App, Remote & Smart Dimmer

Specifications

Product Name : Model No. : Color: Dimensions: Luminous Flux:

Yeelight LED Ceiling Light YLXD01YL White

320 × 320 × 73mm 1500lm Color Temperature: 2700K-6500K Power:

Adapter Voltage: 200V ~ 50/60 Hz 0.12 A





Dimmable

Tunable

















Features

- Dimmable and Tunable White
- Major AloT Platforms Compatible
- Adjustable Fan Direction Brings Pleasant Breeze in All Seasons
- 3 Wind Speeds for Different Levels of Refreshment
- Stepless Dimming Caters to All Atmospheres
 - Superb Quality to Meet the Highest Industry Standard
- Modern Minimalist Design for a Tasteful Home
- Retractable Blade Design Frees Up Your Space
- Little Noise and Energy-Saving with Strong DC Inverter Moter
- Safety is Always Here for You with Reinforced Protection
- Easier Installation with 15 ° Tilt Feature





Specifications

Product Name:

Yeelight Smart Ceiling Fan C2101C1060

Model No.: YLFD003

Rated Input: 220-240V~50/60Hz

74W Total power: Fan Power: 30W


Lamp Power: 44W(81×1W/LED module

Wireless Connectivity:

Color Temperature: 2700K-6500K

Compatible with: Android 4.4 & iOS 9.0 or above

> Wi-Fi IEEE 802.11 b/g/n 2.4 GHz, Bluetooth 4.2













Features

- Auto Light-on with Infrared Sensor and Light
- Sensor Ra90 to Accurately Showcase the Colors You
- Want Bug-proof and Dust-proof

Specifications


Product Name : Yeelight Crystal Sensory Ceiling Light Mini Product No: YLXD09YL Color:

White Product Shape : Round


Product Material: SPCC Background board, PMMA lamp cover Brightness: 670lm

Color Rendering: Ra90

Sensor Module: Infrared sensor and light sensor













with







Features

- 25) 25mm Ultra Slim Ceiling Light for Minimalist Rooms
- Sizes Available: φ235mm, φ300mm, φ400mm
- Water Resistant for More Scenarios
- 16 Million Colors Mood Light
- Quick Change Fixture
- Smart Control
- Adjustable Ceiling Light for Customized Scenes
- Moonlight Mode
- Dust and Insect-proof

Specifications

YLXDD-0030, YLXDD-0033, YLXDD-0034

Color Temperature: 2700K-6500K

Luminous Flux: C235 1200lm@4000K, C300 1600lm@4000K,

C400 2000lm@4000K

Rated input: 220-240~50/60Hz

Rated power: C235 18W, C300 21W, C40024W

Operating Temperature: -20°C-+40°C Operating Humidity: 0-85% RH

Compatible with: Android4.4&IOS9.0 or above





Ambiance Lighting




Yeelight LED Lightstrip Pro



(+ 0)

16 Million Colors



Ambiance Lighting



















Customized

Features

16 Million Colors

Addressable Color LED Strip to Rock Your Mood

Trimmable & Extendable up to 10m

16 Million Colors for Customized Light Effects

Immersive Gaming Experience

✓ A Seamless Integration with Apple HomeKit

More Ways to Control

Specifications

Standard Pack (2m)

Product Model: YLDD005


Power Input: 100-240V-50/60Hz
Rated Power: 5.1W (2m) 21W (10m)

Power Factor: 0.5

Wireless Connectivity: Wi-Fi IEEE 802.11b/g/n 2.4GHz
Compatible with: Android 4.4 & iOS 10.0 or above

Extension Pack (1m)

Product Model: YLDD007 Rated Input: 24V





Ambiance Lighting

16 Million Colors

Dimmable



















Features

- 16 Million Colors
- Voice Control with Major AloT Platforms Compatible
- Game Sync with Razer Chroma™ RGB
- Trimmable According to Needs
- Shine with Rhyme with Music Sync
- Turn On/Off the Strip at Scheduled Time Available
- Smart App Control Anytime Anywhere
- Simple Setup with Built-in Wifi and No Hub Required

Specifications

Product Name : Product No: Rated Input :


Rated Power : Wi-Fi Connection :

Supported Operating Systems: Android 4.4 or iOS 9.0 and above

Yeeligt LED Lightstrip 1S YLDD05YL 100-240V~50/60Hz 0.17A(2m) 100-240V~50/60Hz 0.6A(10m)

24W(10m)

Wi-Fi IEEE 802.11 b/g/n 2.4GHz





Ambiance Lighting

16 Million Colors

Tunable

Dimmable















OVERWOLF



Features

16 Million Color RGB Backlights

Dimmable and Adjustable Color Temperature

Major AloT Platforms Compatible

Game Sync with Razer Chroma™ RGB

Interactive Lighting with Chroma Enabled Devices

Change Angle Easily with Magnetic Mount

Wireless Rotary Switch Knob

Work from Home with Office Lighting

Explore More with Yeelight App

Specifications

Model No.: Rated Input: Rated Power: YLTD003 DC 5V/2A 10W (80×0.2W/ LED module+40 × 0.2W/LED module)

Light Dimensions:

Φ23.0 × 485.5mm Φ66.5 × 34.0mm Switch Knob Dimensions:



Yeelight LED Screen Light Bar Pro (Flagship Version)










Razer Chroma™ RGB



Rotary Switch



Ambiance Lighting

16 Million Colors

Tunable

Dimmable

















Features

16 Million Colors

Dimmable and Adjustable Color Temperature

Major AloT Platforms Compatible

Game Sync with Razer Chroma™ RGB

Interactive Lighting with Chroma Enabled Devices

Change Angle Easily with Magnetic Mount

Flexible Rotary Switch Knob

Work from Home with Office Lighting

Explore More with Yeelight App

Improved Neat Design with A Dark Blue Coating

Applicable to Both Flat and Curve Screens

Specifications

Model No.: Rated Input: Rated Power: YLYTD-0003 DC 5V/2A 10W (80×0.2W/ LED module+40 × 0.2W/LED module)

Light Dimensions: Switch Knob Dimensions:

Φ66.5 × 34.0mm

Ф23.0 × 485.5mm





Essential Lighting Tunable White Dimmable









Features

- Rechargeable & USB powered monitor light
- bar
 Easy setup & portable
- Proper lighting to eliminate glares and flickers from your monitor
- High CRI (RA>95) to provide prime user experience
- 3 color temperature modes to suit your needs
- Stepless dimming to get any brightness you
- want Back-lit touch panel for precise control

Specifications

Color:
Rated Power:
Rated Input:
Dimensions:
Color Rendering Index:
Service Life:
Battery:


Product Model:

YLODJ-0027 silver gray 50 (64 × 0. 2W/LED module) DC 5V-1A 450 × 75 × 110mm 95 25,000 hours

y: 1800mAh, Type-C USB charging



Yeelight Smart LED Light Panels





Ambiance Lighting

Multicolor Backlight

Tunable White















Features

- 16 million color RGB panels for customized lighting effects
- Triangular LED panels to design the layout according to needs
- Music sync available to change colors according to music rhythm
- 3 lighting modes & 20+ preset lighting effects
- Voice control with Google Assistant and Amazon Alexa
- Prime quality with a service life of 25,000 hours

Specifications

Product Model: Working Temperature: Working Humidity: Operating Frequency:

Compatible with:

Recommended Environment: Weight Per Panel: Color Composition: Color Range: Smart Interaction:

Package Size: 290x Maximum Power of a Single Panel: 2W Maximum Output Power of Power Supply: 24W Service Life: appr

YLFWD-012
-10 - 40 ° C
0% - 85% RH
2412-2472MHz (Wi-Fi)
2402-2480MHz (BT)
Android 4.4 or iOS 9.0 and above
Indoor only
224g
RGB
16 million colors
Scene sync/ app control/
controller/ voice control
290x240x100mm
2W

approx. 25000 hours





Ambiance Lighting

Dimmable



Features

- O Dimmable by Simply Rotating the Lamp Base
- A Candle-shape Table Lamp Designed to Wow
- A Perfect Add-on to Your House and Atmosphere
- Built-in 2500mAh Battery to Allow up to 8-hour Continuous Use on A Single Charge
- Portable Enough for Both Indoor and Outdoor Use
- Type-C Rechargeable





Specifications

 Product Name:
 Yeelight Candela Lamp

 Product No:
 YLFWD-0019

 Product Color:
 Gold


 Dimensions:
 72 × 195mm

 Weight:
 410 ± 10g


 Luminous Flux:
 0.3-131m

 Color Temperature:
 1800K

Battery: 2500mAh+Micro USB(1.2m)








Wi Fi







Features

16 Million Colors

Dimmable and Adjustable Color Temperature

On/Off with Double Tap

Voice Control with Major AloT Platforms Compatible

Flowing Color Mode

Explore More with Yeelight App

Game Sync with Razer Chroma™ RGB

Shine with Rhyme with Music Sync

Interactive Control with Touch Board

Specifications

Product Name: Yeelight LED Smart Lamp D2 Product No: YLCT01YL Dimensions: Rated Input: Rated Power:

140mm(diameter) × 100mm(height) 100-240V-50/60Hz 0.1A 5W (6×1W/LED module(W) + 6×

0.5W/LED module (RGB)

Service Life: 25000hrs

Wireless Connection: Wi-Fi 802.11b/g/n 2.4 GHz and

Bluetooth 4.2 BLE





Ambiance Lighting 16 Million Colors Tunable Dimmable













Features

16 Million Colors

Dimmable and Adjustable Color Temperature

Game Experience with Razer Chroma™ RGB

✓ Various Preset Lighting Modes

Chroma enabled Devices

O Double Tap to Wake it Up

Tolnteractive Control with Touch Board

Explore More with Yeelight App

Specifications

Product Name: YEELIGHT × RAZER LED Smart Lamp Product No: D2

 Dimensions:
 YLCT01YL

 Rated Input:
 140mm × 100mm


 Rated Power:
 100-240V-50/60Hz 0.1A

5W (6×1W/LED module(W) + 6× 0.5W/LED Service Life: module (RGB))

Service Life: module (RGB))
Wireless Connection: 25000hrs

Wi-Fi 802.11b/g/n 2.4 GHz and Bluetooth 4.2

BLE





Ambiance Lighting Multicolor Backlight Tunable White Dimmable




works with Ok Google



DIIIM







Features

- 16 Million Colors
- Dimmable and Adjustable Color Temperature
- Long & Sleek Design
- Voice Control with Major AloT Platforms
- 280 Quality LED Lighting Beads
- Adjustable to Lengths Ranging from 0.5m to 1.5m
- Ra95 to Accurately Showcase the Colors You
 - Bug and Dust-proof

Specifications

Product Name Product No. Product Color : Product Material Lamp Body: Lamp Cover: Rated Power: Color Temperature :

Brightness :

Color Rendering:


Yeelight Crystal Pendant Light

YLDL01YL White

PC **PMMA** 33W

2700K-6000K 450lm-1700lm

Ra95 @4000K for the Entire Lamp


















Features

- 0.9cm Ultra-Slim with Exquisite Metal Exterior
- 3 Available Lengths to Meet Your Need
- Hands-Free Lighting Control with Smart Motion Sensor
- Built-in Photosensitive Sensor Ensures The Light
- Remains on Only In the Dark
- Place it Anywhere to Brighten the Dark Corner of Your Home
- Light up Every Corner with Larger Beam Angle & Size
- 2700K Warm Lighting with a Soft Glow
- Enjoy Longer Lighting Duration with Larger Battery Capacity

Specifications			
Name	Yeelight Motion Sensor Closet Light A20	Yeelight Motion Sensor Closet Light A40	Yeelight Motion Sensor Closet Light A60
Model	YLCG002	YLCG004	YLCG006
Dimensions	20cm*3.9cm*0.9cm	40cm*3.9cm*0.9cm	60cm*3.9cm*0.9cm
Rated Power	1.2W	2.3W	2.4W
Battery Capacity	1100mAh	1500mAh	2200mAh
Color Temperature	2700K		
Rated Input	DC 5V/0.5A		
Charging Mode	USB-C (charging cable included)		














Features


- ✓ Rechargeable Built-in Battery Affords More
- Convenience
- 360 * Rotation Understands All Needs
- Magnetic Base Makes Things Easier
- Flexible Enough to Cater to Any Scene
 A Perfect Lamp to Touch up Art Photos, Selfies and
- Streaming
- Add a Touch of Dreamy Vibe to Your Home D & cor Prime Quality Ensures Prime User Experience

Specifications

Model: YLFWD-0006
Rated voltage: 5V=1A
Rated power: 3W
Operating temperture: -10 * C ~ 40 * C

Dimensions: 82mm*82mm*95mm

Net weight: About 300g















Features

- 2 Dimming Levels
- Rechargeable with 120-day Long Standby
- Flare-free & Soft Light Protects Your Eyes Detect Motion up to 5-7m away with An
- Infrared Sensor

Adhesive, Magnetic and Suspended

Specifications


Product Name: Product No: Color Temperature: Brightness :

Sensor : Max Power:

Yeelight Rechargeable Sensor Nightlight YLYD01YL

2700K Sensor Mode 3.5lm, Lighting Mode 7lm Light sensor + PIR motion sensor

0.25W 0.12W Mix Power:














Features

- Plug-in Design, Saving the Need of Changing Battery or Recharging
- Flare-free & Soft Light Protects Your Eyes
- Detect Motion up to 5-7m Away with An Infrared Sensor
- Soft Light of 2500K with No Glare
- Long-lasting with 0.5W Rated Power
 Elegant Appearance All-around Home Detor

Specifications

Product Name: Product No: Dimension : Weight : Color Temperature: Service Temperature: Service Humidity: Rated Power: Input Voltage: Lifespan: Yeelight Plug-in Light Sensor Nightlight YLYD11YL \$\phi70 \times 69mm
63g \pm 5g
2500k

-10 ± 40°C 0%-85%RH 0.5W AC 220-240V >25,000h









- Smart Light Shines Whenever Needed to Light up Every Corner
- Ultra-Thin Design with Turn-Off Delay Function
- Longer Standby Time that Lasts up to 6 Months
- 300mAh Large Capacity
- Magnetic Plate Allows an Easy Fix





Specifications


Name:
Model No.:
Product Color:
Product Size:
Color Temperature:
Luminous Flux:
Rated Input:
Rated Power:
Standby Current:

Yeelight LED Sensor Drawer Light A6 YLCTD001


re: 68*26*11 2700 K Approx. 15 Im 5V DC/0.5 A : 0.15 W 0.12 mA

White





Desk Lamp





Desk Light

Dimmable





Wi Fi











Features

- Both Base Version and Clamp Version Provided

 Auto Brightness Adjustment Enabled by Bionic Dual Sensor
- ▼ Voice Control with Major AloT Platforms Compatible
- Smart Indicator to Present the Perfect Lighting
- Customized Lighting for Both Adults and Children
- Replicating Natural Sunlight with SunLike Technology
- Higher Illuminance Wider Spread of Light
- Strobe-free for the Ease of Eyes
- Ra90 to Accurately Showcase the Colors You Want

Specifications

Model No.

YLTD08YL/YLTD13YL 3000-5000K

Color Temperature: Power Factor:

0.5


Color Rendering Index: Wattage: Ra90 10.5W

-10 - 40°C

Dimension:

86 × 86 × 25mm

Operating Temperature:





Desk Light

Tunable
Dimmable

















Features

- Red Dot Award-winner Design
- Dimmable and Tunable
- ▼ Voice Control with Major AloT Platforms Compatible
- Night light on the top
- Built-in Wireless Charger
- Simple Control with One Touch

Specifications

Product Name: Product No: Rated Input : Yeelight Staria Bedside Lamp Pro YLCT03YL

Rated Input : 22W
Color Rendering Index : Ra95
Color Temperature : 2700-6500K
Operating Temperature: -10°C-35°C

Wireless Connectivity: Wi-Fi iEEE 802.11b/g/n 2.4GHz

Max Wirless Charging output: 10W



Yeelight Serene Eye-friendly Desk Lamp Pro





Desk Light

Dimmable

















- Natural Light Brought by the SunLike™ technology
- ✓ Voice Control with Major AloT Platforms Compatible
- Certified by TUV
- No Flicker and Glare
- Smart Eye-use Scheduling
- Ra≥95 to Accurately Showcase the Colors You Want
- Patented Multi-axis Design for High Flexibility
- 88 light beads to provide sufficient light

Specifications

Product Name: Yeelight Serene Eye-friendly Desk Lamp Pro Product No: YLTD04YL

Product Color : Moca Gold

 Product Size :
 330 × 200mm × 500mm

 Net Weight :
 2390g

Luminance Flux: 650lm(-10%/+20%)@4000K

Color Temperature : 4000K Color Rendering Index:Ra≥95

Brightness Range: 100lm-650lm, dimmable

Rated Power: 15W



 \bigcirc

Avoid eye fatigue



CRI

YEELIGHT

Desk Light

Dimmable







Features

5-level Dimming

Charge Once Lasting 40 Hours

Enhanced Brightness

Handy & Rechargeable

Type-C Charging Support

One-button Touch Control

Specifications

Yeelight LED Folding Desk Lamp Z1 Pro Product Name : Product No: YLTD14YL

Reference Input : 5V 1A

Rated Power: 5W (30×0.2W/LED)

Color Rendering Index: Ra90

Color Temperature: 2700-5000K(5levels)

Luminous Flux: 200lumen Battery Capacity: 2500mAh

Charging Method: USB Chord and Plug

YEELIGHT

Yeelight 4-in-1 Rechargeable Desk Lamp







Essential Lighting













Features

- A multi-functional desk lamp to complement all needs
- Can be used as a desk lamp for your desktop
- Can be used as a clip-on LED lamp for bookshelves and bedside
- Can be used as a magnetic wall lamp/spotlight for corridors
- Can be used as a handheld light for emergencies and outdoor use
- Flexible enough with built-in 1800mAh lithium battery (5V Type-C)
- A large illuminating area with less eye glare
- • • •
- 180-degree rotation desk lamp head
- Easy installation, no extra nuts or screws required
- Stepless dimming with 4000K color temperature

Specifications

Product Model: Battery: Dimensions: Color Temperature:

Color Temperature:
Rated Input:
Color Rendering Index:

Rated Power:

YLYTD-0011

1800mAh, Type-C USB charging

120*120*360mm 4000K ± 500K

5V DC/ 1A


>80

W





Smart Control





Smart Control













Features

- Superb Mobility Compared with Wall Switches
- More Convenience Than Apps
- Full Control at Your Fingertips
- 5-Button Simple Control
- 12-month Long Standby Time(40 Operations per Day)
- Compatible with Yeelight Ceiling Lights Series

Specifications

Product Name: Yeelight BLE Remote

-10-40°C

Temperature Operating Humidity: 0%-85%RH Battery Model: CR2032





Smart Control















Features

- Red Dot Award-winner Design
- Connect to Yeelight Smart Ceiling Lights
- Stick on the wall With Built-in Battery
 - Bluetooth Remote Control
- No Disconnection from Light Power
- 50,000 Press Tests to Ensure Durability
- Battery Life Up to Two Years
- The All-in-one Switch

Specifications

 Product Name
 Yeelight Smart Dimmer

 Product Model:
 YLKG07YL

 Dimension:
 86 × 86 × 25mm

 Wireless Connection:
 BLE 4.2

 Standby Time:
 3 years

 Operating Temperature:
 -10 - +40°C

 Operating Humidity:
 0%-85%RH



Yeelight Smart Dual Control Module





Smart Control













Features

- Transfrom Non-smart Appliances to Smart Devices
- Enable Smart APP and Remote Control
- Enable Voice Control with Major AloT Platforms
- Enable Remote Timer Control Anytime Anywhere
- Compact Design for Easy Set up without Changing
- Ompatible with Existing Sockets or Switches
- Quality Materials with Premium Design

Specifications

Product Name : Yeelight Smart Dual Control Module

Product No. YLAI002

Size: 49.5 × 46.2 × 24.5mm

Rated Input: 220-240V-50/60Hz

Wireless Connection: Wi-Fi leee 802.11b/g/n 2.4 GHz and

Bluetooth 4.2

Support Systems: Android 4.4 or iOS 9.0 and above Load Range (L1, L2): Resistive Load-MAX 10A(Total)

Capacitive Load-200W/Channel



F10-B4, Bldg.B, International Innovation Park, 169 Songling Rd., Laoshan, Qingdao City, Shandong Provice, 266101, China

